INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 129 NOS. 1,2 CONTENTS 8 MARCH 1996

Cited in: Current Contents (Life Sciences: Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE: PASCAL M; Science Citation Index; Current Awareness in Biological Sciences; CAB Abstracts

Research papers

Porosity parameters of lactose, glucose and mannitol tablets obtained by mercury porosimetry
A.M. Juppo (Finland) 1

Physicochemical and release studies of naproxen in poloxamer gels
H. Suh, H.W. Jun (USA) 13

The effects of compression rate and force on the compaction properties of different viscosity grades of hydroxypropylmethylcellulose 2208
A. Nokhodchi, J.L. Ford, P.H. Rowe, M.H. Rubinstein (UK) 21

A mechanistic investigation of the in vitro human skin permeation enhancing effect of Azone®
O. Díez-Sales, A.C. Watkinson, M. Herráez-Domínguez, C. Javaloyes, J. Hadgraft (Spain, UK) 33

Response surface method as an approach to optimization of iontophoretic transdermal delivery of pilocarpinde
Y.-Y. Huang, S.-M. Wu, C.-Y. Wang, T.-S. Jiang (R.O.C.) 41

Thermodynamic approach to protein microencapsulation into poly(D,L-lactide) by spray drying
B. Gander, P. Johansen, H. Nam-Trân, H.P. Merkle (Switzerland) 51

Inclusion complexation of tolbutamide with β-cyclodextrin and hydroxypropyl-β-cyclodextrin
F. Veiga, J.J.C. Teixeira-Dias, F. Kedzierewicz, A. Sousa, P. Maincent (Portugal, France) 63

In vitro evaluation of pectin-based colonic drug delivery systems
Z. Wakerly, J.T. Fell, D. Attwood, D.A. Parkins (UK) 73

Influence of polymorphism on the Young's modulus and yield stress of carbmazepine, sulfathiazole and sulfanilamide
R.J. Roberts, R.C. Rowe (UK) 79

In vitro degradation of nanospheres from poly(D,L-lactides) of different molecular weights and polydispersities
A. Belbella, C. Vauthier, H. Fessi, J.-P. Devissaguet, F. Puisieux (France) 95

Evaluation of antiulcer agents with a human adenocarcinoma cell line (AGS)
H. Zheng, P.K. Shah, K.L. Audus (USA) 103

Development of a new colloidal drug carrier from chemically-modified cyclodextrins: nanospheres and influence of physicochemical and technological factors on particle size
M. Skiba, D. Duchêne, F. Puisieux, D. Wouessidjewe (France) 113

The influence of surface tension on aerosols produced by medical nebulisers
O.N.M. Mc Callion, K.M.G. Taylor, M. Thomas, A.J. Taylor (UK) 123

Evaluation of the bioadhesive properties of hyaluronan derivatives: detachment weight and mucociliary transport rate studies
K. Pritchard, A.B. Lansley, G.P. Martin, M. Helliwell, C. Marriott, L.M. Benedetti (UK, Italy) 137

Theoretical derivation and practical application of energy/temperature diagrams as an instrument in preformulation studies of polymorphic drug substances
A. Grunenberg, J.-O. Henck, H.W. Siesler (Germany, Austria) 147

Crystallization tendency of polymorphic transitions in triglyceride nanoparticles
H. Bunjes, K. Westesen, M.H.J. Koch (Germany) 159

In vitro characteristics of nicotine microspheres for transnasal delivery
A.-L. Cornaz, A. De Ascentis, P. Colombo, P. Buri (Switzerland, Italy) 175

In vitro degradation by colonic bacteria of inulinHP incorporated in Eudragit RS films
L. Vervoort, R. Kinget (Belgium) 185

Long-term stability of liposomes containing both tissue-type Plasminogen Activator and glu-plasminogen
J.L.M. Heeremans, F.W. Mijnheer, H.R. Gerritsen, R. Prevost, C. Kluft, D.J.A. Crommelin (The Netherlands) 191

Transdermal delivery of 5-fluorouracil (5-FU) by 1-alkylcarbonyl-5-FU prodrugs
H.D. Beall, K.B. Sloan (USA) 203

Analysis of skin penetration enhancing effect of drugs by ethanol-water mixed systems with hydrodynamic pore theory
E. Manabe, K. Sugibayashi, Y. Morimoto (Japan) 211

(Contents continued on p. 304)

0378-5173(19960308)129:1-2;1-Z

INTERNATIONAL JOURNAL OF PHARMACEUTICS

VOL. 129 NOS. 1,2 CONTENTS 8 MARCH 1996

Cited in: Current Contents (Life Sciences: Clinical Practice); International Pharmaceutical Abstracts; Biological Abstracts; Chemical Abstracts; Excerpta Medica EMBASE: PASCAL M; Science Citation Index; Current Awareness in Biological Sciences; CAB Abstracts

Research papers

Porosity parameters of lactose, glucose and mannitol tablets obtained by mercury porosimetry
A.M. Juppo (Finland) 1

Physicochemical and release studies of naproxen in poloxamer gels
H. Suh, H.W. Jun (USA) 13

The effects of compression rate and force on the compaction properties of different viscosity grades of hydroxypropylmethylcellulose 2208
A. Nokhodchi, J.L. Ford, P.H. Rowe, M.H. Rubinstein (UK) 21

A mechanistic investigation of the in vitro human skin permeation enhancing effect of Azone®
O. Díez-Sales, A.C. Watkinson, M. Herráez-Domínguez, C. Javaloyes, J. Hadgraft (Spain, UK) 33

Response surface method as an approach to optimization of iontophoretic transdermal delivery of pilocarpinde
Y.-Y. Huang, S.-M. Wu, C.-Y. Wang, T.-S. Jiang (R.O.C.) 41

Thermodynamic approach to protein microencapsulation into poly(D,L-lactide) by spray drying
B. Gander, P. Johansen, H. Nam-Trân, H.P. Merkle (Switzerland) 51

Inclusion complexation of tolbutamide with β-cyclodextrin and hydroxypropyl-β-cyclodextrin
F. Veiga, J.J.C. Teixeira-Dias, F. Kedzierewicz, A. Sousa, P. Maincent (Portugal, France) 63

In vitro evaluation of pectin-based colonic drug delivery systems
Z. Wakerly, J.T. Fell, D. Attwood, D.A. Parkins (UK) 73

Influence of polymorphism on the Young's modulus and yield stress of carbmazepine, sulfathiazole and sulfanilamide
R.J. Roberts, R.C. Rowe (UK) 79

In vitro degradation of nanospheres from poly(D,L-lactides) of different molecular weights and polydispersities
A. Belbella, C. Vauthier, H. Fessi, J.-P. Devissaguet, F. Puisieux (France) 95

Evaluation of antiulcer agents with a human adenocarcinoma cell line (AGS)
H. Zheng, P.K. Shah, K.L. Audus (USA) 103

Development of a new colloidal drug carrier from chemically-modified cyclodextrins: nanospheres and influence of physicochemical and technological factors on particle size
M. Skiba, D. Duchêne, F. Puisieux, D. Wouessidjewe (France) 113

The influence of surface tension on aerosols produced by medical nebulisers
O.N.M. Mc Callion, K.M.G. Taylor, M. Thomas, A.J. Taylor (UK) 123

Evaluation of the bioadhesive properties of hyaluronan derivatives: detachment weight and mucociliary transport rate studies
K. Pritchard, A.B. Lansley, G.P. Martin, M. Helliwell, C. Marriott, L.M. Benedetti (UK, Italy) 137

Theoretical derivation and practical application of energy/temperature diagrams as an instrument in preformulation studies of polymorphic drug substances
A. Grunenberg, J.-O. Henck, H.W. Siesler (Germany, Austria) 147

Crystallization tendency of polymorphic transitions in triglyceride nanoparticles
H. Bunjes, K. Westesen, M.H.J. Koch (Germany) 159

In vitro characteristics of nicotine microspheres for transnasal delivery
A.-L. Cornaz, A. De Ascentis, P. Colombo, P. Buri (Switzerland, Italy) 175

In vitro degradation by colonic bacteria of inulinHP incorporated in Eudragit RS films
L. Vervoort, R. Kinget (Belgium) 185

Long-term stability of liposomes containing both tissue-type Plasminogen Activator and glu-plasminogen
J.L.M. Heeremans, F.W. Mijnheer, H.R. Gerritsen, R. Prevost, C. Kluft, D.J.A. Crommelin (The Netherlands) 191

Transdermal delivery of 5-fluorouracil (5-FU) by 1-alkylcarbonyl-5-FU prodrugs
H.D. Beall, K.B. Sloan (USA) 203

Analysis of skin penetration enhancing effect of drugs by ethanol-water mixed systems with hydrodynamic pore theory
E. Manabe, K. Sugibayashi, Y. Morimoto (Japan) 211

(Contents continued on p. 304)

0378-5173(19960308)129:1-2;1-Z

(Contents continued)

Permeability of 5-fluorouracil and prodrugs in Caco-2 cell monolayers
A. Buur, L. Trier, C. Magnusson, P. Artursson (Denmark, Sweden) 223
Comparative study on xanthan gum and hydroxypropylmethyl cellulose as matrices for controlled-release drug delivery I. Compaction and in vitro drug release behaviour
M.M. Talukdar, A. Michoel, P. Rombaut, R. Kinget (Belgium) 233
Nonlinear data fiitting for controlled release devices: an integrated computer program
D.R. Lu, K. Abu-Izza, F. Mao (USA) 243
Effects of hydration on the properties of a roller-dried β-lactose for direct compression
S. Cal, G. Iglesias, C. Souto, A. Concheiro, J.L. Gómez-Amoza, R. Martínez-Pacheco (Spain) 253
Production and characterization of biodegradable microparticles for the controlled delivery of proteinase inhibitors
E. Esposito, R. Cortesi, F. Bortolotti, E. Menegatti, C. Nastruzzi 263

Notes
Stability of carboplatin in 5% glucose solution exposed to light
F. Torres, V. Girona, M. Puiol, J. Prat, J. de Bolós (Spain) 275
Gastro-intestinal diffusion tablet: influence of polyoxyethyleneglycol 400
P. Arnaud, I. Guillard, D. Brossard, J.C. Chaumeil (France) 279
The *E* and *C* model for predicting the solubility of drugs in pure solvents
P. Bustamante, M. Jiménez-Durán, B. Escalera (Spain) 283
A study on the differentiation between amorphous piroxicam: β-cyclodextrin complex and a mixture of the two amorphous components
E. Redenti, T. Peveri, M. Zanol, P. Ventura, G. Gnappi, A. Montenero (Italy) 289

Short communication
First relationships between detoxication properties of some 1,2-dithiole-3-thiones and their log *P*
G. Burgot, M. Bona, M.O. Christen, J.L. Burgot (France) 295

Author index 301